

Lee Floorstok Unit B1 The Dresser Centre Whitworth Street Manchester M11 2NE Tel: 0161 231 8080 Fax: 0161 231 8787 Email: leefloor@aol.com Web: leefloorstok.com

Safety Data Sheet

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

SECTION 1; IDENTIFICATION OF THE SUBSTANCES/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1.Product identifier

Product name Product No. SO CONTACT SPRAY ADH ADHC500

1.2. Relevant identified uses of the substances or mixture and uses advised against

Identified uses

Supplier

Spray adhesive

1.3. Details of the supplier of the data sheet

AFT Aerosols Ltd Unit 8, Berryhill industrial estate Berryhill road Fenton Stoke- on- Trent ST4 2NL

1.4. Emergency telephone number

+44 (0) 1782 285 700

Mon – Thurs 0730-1730: Fri 0730-1400

SECTION 2; HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)	Physical and chemical hazards	Extremely Flam. Aerosol - H222
	Human health	Carc.2 – H351
		Skin. Irrit. 2 – H315
		Eye Irrit. 2 – H319
		STOT SE 3 – H336
	Environment	Not Classified

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

2.2 Label Elements

Contains DICHLOROMETHANE Label in Accordance with (EC) No. 1272/2008





Signal word Hazard statements	Danger	
	H222	Extremely flammable aerosol.
	H351	Suspected of causing cancer
	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness
Precautionary Statem	ents	
	P102	Keep out of reach of children
	P210	Keep away from heat/sparks/open flames/hot
		surfaces – No Smoking.
	P251	Pressurized container: Do not pierce or burn, even after use.
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P281	Use personal protective equipment as required.
	P501	Dispose of contents/container in accordance with Local Regulations.
Supplementary preca	utionary statem	ents

P273	Avoid release to the environment.
P280	Contains gas under pressure, may explode if heated .
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at
	rest in position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy
	to do.Continue Rinsing.
P308+313	If exposed or concerned: Get medical advice/attention
P410+412	Protect from sunlight. Do not expose to temperatures
	Exceeding 50°C/122°F.

Supplement label information

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

2.3. Other hazards

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use. Do not spray on naked flame or any incandescent material – NO SMOKING.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

DICHLOROMETHANE		10-30%
CAS-No.: 75-09-2	EC No.: 200-853-9	
Classification (EC 1272/2008		
Carc.Cat 2 – H351		
Skin Irrit Cat 2 – H315		
Eye Irrit Cat 2 – H319		
STOT SE Cat 3 – H336		

PETROLEUM GASES LIQUIFIED

EC No.: 270-704-2

Classification (EC 1272/2008) Flam. Gas 1- H220

CAS- No.: 68476-85-7

The full text for all R-Phrases and hazard statements are displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

DO NOT induce vomiting. Get medical attention immediately

Skin contact

Wash the skin immediately with soap and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling section 2.2, and/or in section 11.

30-40%

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media Extinguishing media Fire can be extinguished using: foam; carbon dioxide; dry powder

5.2 Special hazards arising from the substance or mixture

Unusual fire & Explosion hazards Canisters may explode in fire. Toxic gases/vapours/fumes of: Carbon Dioxide (CO₂). Carbon Monoxide (CO)

5.3 Advice for firefighters

Wear self contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact. Ensure adequate ventilation. Avoid breathing vapours, mist or gas. Wear personal protective equipment (see section 8).

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environment Agency or other regulatory body. Do not discharge into drains or watercourses or onto the ground.

6.3 Methods and material for containment and cleaning up

Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb in vermiculite, dry sand or earth, and place into containers.

6.4 Reference to other sections

Wear protective clothing as described in section 8 of this safety data sheet. For waste disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

7.2. Conditions for safe storage, including any incompatibilities

Must not be exposed to direct sunlight or temperatures above 50°C.

7.3 Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

www.soflooring.com

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Name	STD	TWA – 8 H	Irs	STEL – 15	Min	Notes
DICHLOROMETHANE	WEL	100	350	300 ppm	1060	
		ppm(Sk)	mg/m3(Sk)	(Sk)	mg/m3	
					(Sk)	
PETROLEUM GASES	WEL	1000	1250	1250	2180	
LIQUIFIED		ppm (Sk)	mg/m3(Sk)	ppm(Sk)	mg/m3(Sk)	

WEL = Workplace exposure limit.

Ingredient comments

8.2 Exposure controls

Protective equipment



Appropriate engineering controls

Observe any occupational exposure limits for the product or ingredients. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Eye/face protection

Chemical splash goggles or face shield. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

Hand protection

Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Nitrile rubber.

Other skin and body protection

Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wear protective clothing.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

(a) Appearance	Canister/Aerosol.
(b) Odour	Chlorinated Hydrocarbon
(c) Odour Threshold	No data available
(d) pH	No data available
(e) Melting point/freezing point	No data available
(f) Initial boiling point and boiling range	40 (°C)
(g) Flash point	Estimated at -35°C
(h) Evaporation point	No data available
(i) Flammability (solid gas)	No data available
(j) Upper/lower flammability	
Or explosive limits	No data available
(k) Vapour pressure	No data available
(I) Vapour density	No data available
(m) Relative density	No data available
(n) Water solubility	Slightly soluble in water; soluble in chlorinated
	hydrocarbons
(o) Partition coefficient	
n-octanol/water	No data available
(p) Auto-ignition temperature	No data available
(q) Decomposition temperature	No data available
(r) Viscosity	No data available
(s) Explosive properties	No data available
(t) Oxidising properties	No data available.
9.2. Other information	
	Can pressure 70psi.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Avoid heat, sparks, and flames, stable under normal conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Avoid heat, flames and other sources or ignition. Avoid contact with: Strong oxidising agents, Strong alkalis and Strong mineral acids.

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

10.5 Incompatible materials

Materials to avoid Strong acids, strong oxidising substances and strong alkalis.

10.6 Hazardous decomposition products

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO); Carbon Dioxide (CO₂); Phosgene (COCl₂); Hydrogen Chloride (HCl). Slow hydrolysis with water forms hydrochloric acid.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Toxicity LD50 Oral – Rat - >2,000 mg/kg

Inhalation LD50 Inhalation – Rat – 52,000 mg/m³

Skin contact

Skin – Rabbit Result: Irritating to skin – 24 hr (Draize Test)

Eye contact

Eyes – Rabbit Result: Irritating to eyes – 24 hr (Draize Test)

Carcinogenicity

Carcinogenicity – Rat – Inhalation Tumorigenic: Carcinogenic by RTECS criteria. Endocrine: Tumours Limited evidence of carcinogenicity in animal studies. Suspected human carcinogens IARC: 2B – Group 2B: Possible carcinogenic to humans (Methylene Chloride)

Specific Target Organ Toxicity – Single Exposure

May cause respiratory irritation. May cause drowsiness or dizziness

Aspiration Hazard

No data available.

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous to the environment. However, contamination of the aquatic or terrestrial environments should be avoided

12.1 Toxicity

Toxicity to fish	LC50 – Pimphales promelas (fathead monnow) – 193.00 mg/l – 96 hr
	NOEC – Cyprindon variegatus (sheepshead minnow) – 130 mg/l – 96 hr
Toxicity to daphnia and other	
Aquatic invertebrates:	EC50 – Daphnia magna (Water f;ea) – 1,682.00 mg/l – 48 hr

12.2 Persistence and degradability

Biodegradability

result <26% - Not readily biodegradeable

12.3 Bio accumulative potential

Does not bioaccumulate

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB Assessment

Contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

Section 14. Transport information

14.1 UN Number

UN No (ADR/RID/ADN) UN No (IMDG) UN NO (ICAO) **14.2 UN Proper Shipping Name** ADR/IMDG/AND/RID IATA **14.3 Transport Hazard Class(es)** ADR/RID/ADN Class ADR/RID/ADN Class

1950 AEROSOLS Aerosols Flammable

2.1 Class 2: Gases

1950

1950

www.soflooring.com

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

ADR Label No	2.1 & 6.1	
IATA	2.1	
IMDG Class	2.1	
ICAO Class/Division	2.1	
ICAO Subsidiary Risk	6.1	
ICAO TEC* No	20GSF	
Air Class	2.1	
UK Road Class	2.1	
Transport Labels	L.Q.	
	FLA	GAS
		2
14.4 Packing Group		
	Not Applicable	<u>.</u>
14.5 Environmental Hazards		
Dangerous for the environment	No	
Marine pollutant	No	
Other information	-	tary information available
14.6 Special Precautions for user		
Overland Transport		
Classification Code (ADR):		5F
Special Provisions (ADR):		190,327,344,625
Limited Quantities (ADR):		1
Excepted Quantities (ADR):		EO
Packing Instructions (ADR):		P207,LP02
Special Packing provisions (ADR):		PP87, RR6, L2
Mixed Packing provisions (ADR):		MP9
Transport Strategy (ADR):		2
Special provisions for carriage – Packag	es (ADT)	_ V14
Special Provisions for carriage – Loading		V 1-7
and handling (ADR):	5, 411044115	CV9, CV12
Special provisions for carriage – Operat	ion (ADR).	S2
Tunnel Restriction Code:		52 D
		D
<u>Transport by Sea</u> Special Provisions (IMDG):		62 100 277 227 244 050
Limited Quantities (IMDG):		63,190,277,327,344,959 SP277
Excepted Quantities (IMDG):		EO
		-
Packing Instructions (IMDG):		P207,LP02
Special Packing provisions (IMDG):		PP87,L2
EmS-No (Fire):		F-D
EmS-No (Spillage):		S-U
Stowage category (IMDG):		None
Stowage and Handling (IMDG):		SW1,SW22
Segregation (IMDG):		SG69
MFAG-No:		126

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

Air Transport	
PCA Excepted Quantities (IATA):	EO
PCA Limited Quantities (IATA):	Y203
PCA Limited Quantity max net quantity (IATA):	30KgG
PCA Packing instructions (IATA):	203
PCA max net quantity (IATA):	75Kg
CAO packing instructions (IATA):	203
CAO max net quantity (IATA):	150Kg
Special provisions (IATA):	A145,A167,A802
ERG Code (IATA):	10L
Inland Waterway Transport	
Classification Code (ADN):	5F
Special Provisions (ADN):	190,327,344,625
Limited Quantities (ADN):	1 L
Excepted Quantities (ADN):	EO
Equipment required (ADN):	PP,EX,A
Ventilation (ADN):	VE01,VE04
Number of blue cones/lights (ADN):	1
Rail Transport	
Classification Code (RID):	5F
Special Provisions (RID):	190,327,344,625
Limited Quantities (RID):	1L
Excepted Quantities (RID):	EO
Packing Instructions (RID):	P207,LP02
Special Packing provisions (RID):	PP87,RR6,L2
Mixed Packing provisions (RID):	MP9
Transport Category (RID):	2
Special Provisions for carriage – Packages (RID):	W14
Special Provisions for carriage – Loading, unloading	
and handling (RID):	CW9, CW12
Colis Express (express parcels) (RID):	CE2
Hazard Identification No (RID):	23

14.7 Transport in bulk according to Annex II of MARPOL and the IBC code

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Labelling according to Regulation (EC) No 1272/2008 The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health. Approved code of practice. Guidance notes

Workplace exposure limits EH40.

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions. Contains no substance on the REACH candidate list. Contains no REACH Annex XIV substances.

www.soflooring.com

SO CONTACT SPRAY ADHESIVE

HIGH PERFORMANCE CONTACT SPRAY ADHESIVE

15.1.2 National Regulations

No additional information available.

SECTION 16: OTHER INFORMATION

General information

This product should be used as directed. For further information consult the product data sheet or contact technical services.

Information sources

This safety data sheet was compiled using current safety information supplied by distributor raw materials.

Revision comments

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact AFT Aerosols Ltd.

Hazard statements in full

	H220	Extremely flammable gas
	H222	Extremely flammable aerosol.
	H351	Suspected of causing cancer
	H315	Causes skin irritation.
	H310	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness
Abbreviations		
	Carc 2	Carcinogen Category 2
	Skin Irrit 2	Skin Irritant Category 2
	Eye Irritant 2	Eye Irritant Category 2
	STOT SE 3	Specific Target Organ Toxicity Single Exposure Category 3
	Carc Cat 3	Carcinogen Category 3
	Flam Gas 1	Flammable Gas Category 1
ISSUE:		REV 4.2
REVISION DATE:		AUGUST 2016
REVIEW DATE:		JULY 2017

DISCLAIMER

The Information provided herein, especially recommendations for the usage and the application of this products, is provided in good faith, and no liability on the part of AFT Aerosols Ltd is stated or implied. No employee of AFT Aerosols Ltd has the authority to waive or alter in any way the content of this document.

Due to different materials used, as well as to varying working conditions, production techniques, and the requirements of the end users, all of which are beyond our control, we strongly recommend that thorough and extensive trials are carried out in order to test the suitability of our products with regard to the required processes and applications. This should also include an ageing test which should be applied to all substrates used.

It is also the responsibility of the purchaser and end user of this product to ensure that all appropriate actions necessary for the protection of the environment, and for the health and safety of their employees are observed.

This datasheet replaces all former versions